



www.winwall.co.th

movement by design









Door And Window Hardware Systems

Winwall Aluminium specialising in custom-made hardware solutions for Thailand's aluminium windows and door industry. Renowned for our premium Oasis adjustable glass louvre systems, we have built a strong reputation for delivering high-quality, innovative products to both domestic and international markets.

Well know as a trusted OEM manufacturer, Winwall has expanded its product portfolio beyond customised products to include a carefully selected range of mainstream window and door hardware products.

This strategic move is the result of in-depth market research, focused on identifying products that match the needs of Thailand's window and door industry — from design compatibility to functional performance and budget expectations of local fabricators.

Our new hardware range is sourced through established European and Asian supply chains, ensuring a balance of style, durability, and value. Each product has been chosen to enhance the look, feel, and function of aluminium windows and doors, offering fabricators and end-users the opportunity to achieve a refined finish without compromise.





STAC

 PRODUCT GROUP
 CATEOGARY
 PAGE NO.

 00
 Handles & Latches
 ST-01

 03
 Hinges & Stays
 ST-11

ince

 PRODUCT GROUP
 CATEOGARY
 PAGE NO.

 00
 Handles & Latches
 IK-01

 03
 Hinges & Stays
 IK-08

 07
 Locks ~ Gear Box ~ Strikers
 IK-12



 PRODUCT GROUP
 CATEOGARY
 PAGE NO.

 01
 Roller Carriages
 3H-01

 07
 Locks ~ Gear Box ~ Strikers
 3H-03



PAGE NO. PRODUCT GROUP CATEOGARY 00 Handles PA-01 Roller Carriges PA-03 01 03 Hinges & Stays PA-05 07 Locks ~ Gear Box ~ Strikers PA-06 80 Pressurized Door Hardware PA-08




PRODUCT GROUP CATEOGARY PAGE NO.
00 Sash Connectors MT-01


LWINWALL


PRODUCT GROUP CATEOGARY PAGE NO.
00 Digital Door Locks WW-01

DOOR AND WINDOW HANDLES

DELTA Minimalist Door Handle Set - Black 00-ST001-BK DELTA Minimalist Door Handle Set - White Surface Finish: Specification: Application: Application: Hinge Doors Aluminum Alloy/Zinc









DOOR AND WINDOW HANDLES


STAC

DELTA Handle Set 8 X 130 Spindle - Black

00-ST005-BK

DELTA Handle Set 8 X 130 Spindle - White

00-ST005-WH





Surface Finish: Black, White Specification: 8x130mm Spindle Application: Hinge Doors Material: Aluminum Alloy/Zinc

STAC

DELTA Minimalist Handle For Sliding And Groove 16 - 2 Fixtures - Black

00-ST006-BK

DELTA Minimalist Handle For Sliding And Groove 16 - 2 Fixtures - White

00-ST006-WH





Surface Finish: Black, White Specification: 7mm Spindle Sliding Windows Application: Material: Aluminum Alloy/Zinc

STAC

DELTA Minimalist Handle (4 Fixt.) - Black

00-ST007-BK

DELTA Minimalist Handle (4 Fixt.) - White

00-ST007-WH





Surface Finish: Black, White Specification: 7mm Spindle Sliding Windows Application: Material: Aluminum Alloy/Zinc


STAC

DELTA Flap Handle - Right Opening - Black

00-ST008-BK

DELTA Flap Handle - Right Opening - White

00-ST008-WH





Surface Finish: Black, White Specification: 7mm Spindle Sliding Doors Aluminum Alloy/Zinc

Application: Material:

DOOR AND WINDOW HANDLES




DELTA Flap Pull Handle Left Opening - Black

00-ST009-BK

DELTA Flap Pull Handle Left Opening - White

00-ST009-WH






STAC

DELTA Fix HP Exterior Pull Handle - Black

00-ST010-BK

DELTA Fix HP Exterior Pull Handle - White

00-ST010-WH *



Surface Finish: Black, White

Specification:

Application: Sliding Doors
Material: Aluminum Alloy/Zinc

STAC

DELTA Finger Pull - Black

00-ST011-BK

DELTA Finger Pull - White

00-ST011-WH | *







Surface Finish: Black, White

Specification:

Application: Sliding Doors
Material: Aluminum Alloy/Zinc

STAC


TITAN External Pull Handle for Single Point or Multipoint Locks - Black


00-ST012-BK

TITAN External Pull Handle for Single Point or Multipoint Locks - White

00-ST012-WH | *

The pull handle is always used in combination with a recessed handle





Surface Finish: Black, White
Specification: 7mm Spindle
Application: Sliding Doors
Material: Aluminum Alloy/Zinc





Page: ST-03





DOOR AND WINDOW HANDLES

















Page: ST-04

DOOR AND WINDOW HANDLES











DOOR AND WINDOW HANDLES




DELTA Offset Handle Right Hand Opening for Sliding Window and Door - Black

00-ST021-BK *

DELTA Offset Handle Right Hand Opening for Sliding Window and Door – White

00-ST021-WH *





Surface Finish: Black, White
Specification: 7mm Spindle
Application: Sliding windows

Application: Sliding windows/Doors
Material: Aluminum Alloy/Zinc


STAC

DELTA Offset Handle Left Hand Opening for Sliding Window and Door – Black

00-ST022-BK

DELTA Offset Handle Left Hand Opening for Sliding Window and Door – White

00-ST022-WH *



Surface Finish: Black, White Specification: 7mm Spindle

Application: Sliding Windows/Doors
Material: Aluminum Alloy/Zinc


STAC

POLARIS Detachable Handle Base for Outward Opening for Hinge Doors and Casement - Black

00-ST023-BK *

POLARIS Detachable Handle Base for Outward Opening for Hinge Doors and Casement - White

00-ST023-WH *





Surface Finish: Black, White
Specification: 7x64mm Spindle
Application: Various

Material: Aluminum Alloy/Zinc

STAC

SIRIUS Detachable Handle for Outward Opening for Hinge Doors and Casements - Black

00-ST024-BK *

SIRIUS Detachable Handle for Outward Opening for Hinge Doors and Casements - White

00-ST024-WH *





Surface Finish: Black, White Specification: 7mm Spindle Various

Application: Various

Material: Aluminum Alloy/Zinc

DOOR AND WINDOW HANDLES




DELTA Slim Pro 30mm Offset Handle Inward Opening Left Hand - Black

00-ST025-BK

DELTA Slim Pro 30mm Offset Handle Inward Opening Left Hand - White

00-ST025-WH



Surface Finish: Black, White Specification: 7mm Spindle

Application: Casement/Sliding Doors
Material: Aluminum Alloy/Zinc


STAC

DELTA Slim Pro 30mm Offset Handle Inward Opening Right Hand - Black

00-ST026-BK

DELTA Slim Pro 30mm Offset Handle Inward Opening Right Hand - White

00-ST026-WH *



Surface Finish: Black, White Specification: 7mm Spindle

Application: Casement Sliding/Doors Material: Aluminum Alloy/Zinc


STAC

TAU Offset Pull Handle 450mm Left Hand Opening - Black

00-ST027-BK *

TAU Offset Pull Handle 450mm Left Hand Opening - White

00-ST027-WH *



Surface Finish: Black, White

Specification:

Application: Hinge Doors

Material: Aluminum Alloy/Zamak


STAC

TAU Offset Pull Handle 450mm Right Hand Opening - Black

00-ST028-BK *

TAU Offset Pull Handle 450mm Right Hand Opening - Black

00-ST028-WH *





Specification:

Application: Hinge Doors
Material: Aluminum Alloy/Zamak



Page: ST-07

DOOR AND WINDOW HANDLES

STAC

TAU Offset Pull Handle 1200mm Left Hand Opening - Black

00-ST029-BK

TAU Offset Pull Handle 1200mm Left Hand Opening - White

00-ST029-WH



Surface Finish: Black, White

Specification:

Application: Hinge Doors

Material: Aluminum Alloy/Zamak

STAC

TAU Offset Pull Handle 1200mm Right Hand Opening - Black

00-ST030-BK

TAU Offset Pull Handle 1200mm Right Hand Opening - White

00-ST030-WH



Surface Finish: Black, White

Specification:

Application: Material:

Hinge Doors

Aluminum Alloy/Zamak

STAC

TAU Offset Pull Handle - Hidden Fixing Kit

00-ST031



Surface Finish: Specification:

Application:

Hinge Doors Material: Stainless Steel

STAC

TAU Offset Pull Handle - Double Fixing Kit

00-ST032



Surface Finish: Specification:

Application: Material:

Hinge Doors Stainless steel



Page: ST-08





DOOR AND WINDOW HANDLES



TAU Offset Pull Handle - Simple Fixing Kit

00-ST033



Surface Finish: Specification:

Application: Hinge Doors Material: Stainless Steel


STAC

DELTA Lift & Slide Double Pull Handle No Key - Black

00-ST034-BK

DELTA Lift & Slide Double Pull Handle No Key - White

00-ST034-WH





Surface Finish: Black, White Specification: 10mm Spindle Application: Lift & Slide Doors Material: Aluminum/Zamak/S.S


STAC

DELTA Lift & Slide Single Pull Handle No Key - Black

00-ST035-BK

DELTA Lift & Slide Single Pull Handle No Key - White

00-ST035-WH



Surface Finish: Black, White Specification: 10mm Spindle Lift & Slide Doors Application: Material: Aluminum/Zamak/S.S

STAC

DELTA Lift & Slide Single Pull Handle With Key


- Black

00-ST036-BK

DELTA Lift & Slide Single Pull Handle With Key

- White

00-ST036-WH






Surface Finish: Black, White Specification: 10mm Spindle


Application: Lift & Slide Doors Material: Aluminum/Zamak/S.S





STAC

DOOR AND WINDOW HANDLES













STOC

DELTA Right Hand Opening Hinge - Black 60 kg with 2 hinges ~ 75 kg with 3 hinges

03-ST001-BK

DELTA Right Hand Opening Hinge - White 60 kg with 2 hinges ~ 75 kg with 3 hinges

03-ST001-WH











Surface Finish: Black, White Specification: 60-75kg

Application: Casement/Hinge Doors Material: Aluminum/Stainless

STAC

DELTA Left Hand Opening Hinge - Black 60 kg with 2 hinges ~ 75 kg with 3 hinges

03-ST002-BK

DELTA Left Hand Opening Hinge - White 60 kg with 2 hinges ~ 75 kg with 3 hinges

03-ST002-WH









Casement/Hinge Doors Application: Material: Aluminum/Stainless

STAC

DELTA Ambidextrous (L & R) Opening - Black 90 kg with 2 hinges

03-ST003-BK

DELTA Ambidextrous (L & R) Opening - White 90 kg with 2 hinges

03-ST003-WH









Casement/Hinge Doors Application: Material: Aluminum/Stainless


STAC

ACRUX 2 Leaf Door Hinge RH Opening- Black 100 kg with 2 Hinges ~ 120 kg with 3 Hinges

03-ST004-BK

ACRUX 2 Leaf Door Hinge RH Opening- White 100 kg with 2 Hinges ~ 120 kg with 3 Hinges

* 03-ST004-WH









Surface Finish: Black, White Specification: 100-120kg Application: **Hinge Doors** Material: Aluminum/Stainless






STOC

ACRUX 2 Leaf Door Hinge LH Opening- Black 100 kg with 2 Hinges ~ 120 kg with 3 Hinges

03-ST005-BK

ACRUX 2 Leaf Door Hinge LH Opening- White 100 kg with 2 Hinges ~ 120 kg with 3 Hinges

03-ST005-WH *







Surface Finish: Black, White
Specification: 100-120kg
Application: Hinge Doors
Material: Aluminum/Stainless


STAC

ACRUX 3 Leaf Door Hinge (L&R) Opening - Black 120 kg with 2 Hinges ~ 150 kg with 3 Hinges

03-ST006-BK

ACRUX 3 Leaf Door Hinge (L&R) Opening - White 120 kg with 2 Hinges ~ 150 kg with 3 Hinges

03-ST06-WH *





Surface Finish: Black, White Specification: 120-150kg

Application: Casement/Hinge Doors
Material: Aluminum/Stainless

STAC

Stac Hinge Vertical Adjustment Kit

03-ST007



Surface Finish: Black


Specification: Adjustment +/- 3mm
Application: Hinge Doors
Material: Zamak


STAC


Page: ST-12




LOCKS ~ GEAR BOX ~ STRIKERS














DOOR AND WINDOW HANDLES

STOC Keeper for Block Multipoint Lock 07-ST005 * Surface Finish: NA Specification: Application: Application: Material: Sliding Doors Stainless Steel





STAC





Swing Door Standard Handle Set - Key 2 Sides

- Black

00-IK001-BK

Swing Door Standard Handle Set - Key 2 Sides

- Sliver Grey

00-IK001-SG *



Surface Finish: Black, Silver Grey

Specification:

Application: Hinge Doors
Material: Cast Aluminum Alloy

ince

Swing Door Low Profile Handle Set - Key 2 Sides

- Black

00-IK002-BK *

Swing Door Low Profile Handle Set - Key 2 Sides

- Silver Grey

00-IK002-SG *



Surface Finish: Black, Silver Grey

Specification:

Application: Hinge Doors
Material: Cast Aluminum Alloy

ince

Swing Door Standard Handle Set - No Key

- Black

00-IK003-BK *

Swing Door Standard Handle Set - No Key

- Silver Grey

00-IK003-SG *



Surface Finish: Black, Silver Grey

Specification:

Application: Hinge Doors
Material: Cast Aluminum Alloy

ince

Swing Door Low Profile Handle Set - No Key

- Black

00-IK004-BK *

Swing Door Low Profile Handle Set – No Key

- Silver Grey

00-IK004-SG *



Surface Finish: Black, Silver Grey

Specification:

Application: Hinge Doors
Material: Cast Aluminum Alloy







Swing Door Standard Handle with Key


- Black

00-IK005-BK

Swing Door Standard Handle with Key

- Sliver Grey

* 00-IK005-SG





Surface Finish: Black, Silver Grey

Specification:

Application: Hinge Doors Cast Aluminum Alloy Material:

ince

Swing Door Low Profile Handle with Key


- Black

00-IK006-BK

Swing Door Low Profile Handle with Key

- Silver Grey

* 00-IK006-SG





Specification:

Application:

Hinge Doors Material: Cast Aluminum Alloy

ince

Swing Door Standard Handle Set - No Key

- Black

00-IK007-BK

Swing Door Standard Handle Set - No Key

- Silver Grey

00-IK007-SG *



Surface Finish: Black, Silver Grey

Specification:

Application: Hinge Doors

Cast Aluminum Alloy Material:

ince

Swing Door Low Profile Handle Set - No Key

- Black

00-IK008-BK

Swing Door Low Profile Handle Set - No Key

- Silver Grey

00-IK008-SG *



Surface Finish: Black, Silver Grey

Specification:


Application: Material:

Hinge Doors Cast Aluminum Alloy


















































Low Profile Offset Handle Without Base A10 Left Hand - Black

00-IK021-BK

Low Profile Offset Handle Without Base A10 Left Hand - Sliver Grey

00-IK021-SG





Surface Finish: Black, Silver Grey Specification: 7mm Spindle Casement Window Application: Material: Aluminum Alloy

ince

Standard Handle Without Base + (Child Lock) S9 - Black

00-IK022-BK

Standard Handle Without Base + (Child Lock) S9 - Silver Grey

00-IK022-SG







Surface Finish: Black, Silver Grey Specification: 7mm Spindle Application: **Casement Window** Material: Aluminum Alloy

ince

Low Profile Offset Handle Without Base + (Child Lock) RH S7 - Black

00-IK023-BK



Low Profile Offset Handle Without Base + (Child Lock) RH S7 - Silver Grey

00-IK023-SG









Specification: Application: Material:

Surface Finish: Black, Silver Grey 7mm Spindle **Casement Window** Aluminum Alloy

ince

Low Profile Offset Handle Without Base + (Child Lock) LH S7 - Black

00-IK024-BK



Low Profile Offset Handle Without Base + (Child Lock) LH S7 - Silver Grey

00-IK024-SG








Surface Finish: Black, Silver Grey Specification: Application: Material:


7mm Spindle **Casement Window** Aluminum Alloy

^{*} Non-Stock Item, refer sales office for details













Concealed Door Hinge 90kg

- Black

03-IK001-BK

Surface Finish: Black
Specification: 90kg

Application: Hinge Doors
Material: Aluminium/Stainless Steel

ince

Self Closing Door Hinge

- Black

03-IK002-BK

Self closing Door Hinge - Silver Grey

03-IK002-SG

*



Surface Finish: Black, Silver Grey, White

Specification: 90kg
Application: Hinge Doors

Material: Aluminium/Stainless Steel

ince

3 Axis Adjustable Heavy-Duty Hinge

- Black

03-IK003-BK

3 Axis Adjustable Heavy-Duty Hinge

- Silver Grey

03-IK003-SG *



Surface Finish: Black, Silver Grey, White

Specification: 90kg
Application: Hinge Doors
Material: ABS

ince

Flush Door Adjustable Hinge

03-IK004-BK

Swing Door Low Profile Handle Set – No Key

- Silver Grey

03-IK004-SG *



Surface Finish: Black, Silver Grey, White

Specification: 90kg
Application: Hinge Doors
Material: ABS







Top Hung C - Groove Friction Stay - 45kg

03-IK005

Surface Finish: NA
Specification: 45kg 12"

Specification: 45kg 12"
Application: Top Hung Windows
Material: 304Stainless Steel

ince

Top Hung C - Groove Friction Stay

- 55kg

03-IK006 *

Surface Finish: NA Specification: 55kg 12"

Specification: 55kg 12"
Application: Top Hung Windows 304Stainless Steel

ince

Top Hung C - Groove Friction Stay

- 60kg

03-IK007 *

Surface Finish: NA
Specification: 60kg 16"

Application: Top Hung windows Material: 304 Stainless Steel

ince

Outward Swing C – Groove Casement Stay 60kG


03-IK008 *


Surface Finish: NA Specification: 60kg


Application Out Swing Casement Material: 304 Stainless Steel
























ince			













































































Page: 3H-01





4-Wheel Roller Carraige Weight Capacity 300 Kg./Pair

01-3H005



安装尺寸(单位:mm) **规格 A B C D E F G 轮最大承重(kg)** JLTS46-15.5 205 22.5 15.5 28-36 32.5 164 300kg/対 A THE STREET


Surface Finish: Na

Specification: W15.5 X H22.5 mm Application: Sliding Doors Material: Stainless Steel



2-Wheel Roller Carriage Weight Capacity 200 Kg./Pair

01-3H006



安装尺寸(单位:mm) 轮最大承重(kg) 规格 B C D E F JLTS45-15 146.5 22.5 15 29-37 33.5 104 200kg/对



Surface Finish: Na


Specification:

W15 X H22.5 mm Application: **Sliding Doors** Material: Stainless Steel



4-Wheel Roller Carriage Weight Capacity 450 Kg./Pair

01-3H007






Surface Finish: Na

Specification: W21.5 X H45 mm Application: **Sliding Doors** Material: Stainless Steel



4-Wheel Roller Carriage Weight Capacity 250 Kg./Pair

01-3H008





Surface Finish: Na


Specification: W15.5 X H21 mm Application: Sliding Doors Material: Stainless Steel

/INWALL movement by design

Page: 3H-02



Door Lock Body - Double Direction Transmission	
07-3H001	
	Surface Finish: NA Specification:
	Application: Hinge Door















DOOR AND WINDOW HARDWARE

















DOOR AND WINDOW HARDWARE














































HINGES AND FRICTION STAYS
















LOCKS ~ GEAR BOX ~ STRIKERS

















LOCKS ~ GEAR BOX ~ STRIKERS




















Surface Finish: NA Specification:

Application: Sliding Doors

Material:














































PAG H6 Extra Middle Top Roller-L	
08-PG013-L *	
H6 Extra Middle Top Roller-R 08-PG013-R *	Surface Finish: NA Specification: Application: Sliding Doors Material:













//////MONTICELLI

Tonale 5042 Multi-Function Corner Joint

04-040








Surface Finish: NA Specification:

Mitre Sash Assemby Application: Material: Cast Aluminium

//////MONTICELLI

Cervino 2 Piano Corner Joint 0126

04-041







Surface Finish: NA

Specification:

Material:

Application: Mitre Sash Assembly Cast Aluminium

/////MONTICELLI

Tonale 5032 Multi-Function Corner Joint

04-042







Surface Finish: NA

Specification:

Application: Mitre Sash Assembly Material: Cast Aluminium

//////MONTICELLI

Fuji 2020 Flange Alignment Corner

04-043



Surface Finish: NA Specification:

Mitre Sash Assembly Application: Cast Aluminium Material:





//////MONTICELLI

Corner Joint Screw 5 x 14mm

04-044



Surface Finish: NA

Specification: 5x14mm 8mm Dia. Mitre Sash Assemby Application: Material: Cast Aluminium

/////MONTICELLI

Corner Joint Pin 0092

04-045



Surface Finish: NA Specification: 3mm Dia.

Mitre Sash Assembly Application: Material: Cast Aluminium

/////MONTICELLI

Corner Joint Screw 5 x12.5mm

04-046



Surface Finish: NA Specification: 5 x 12.5mm Application: Mitre Sash Assembly Material: Cast Aluminium

//////MONTICELLI

Corner Joint Pin 0090

04-047



Surface Finish: NA Specification: 3mm Dia.


Mitre Sash Assembly Application: Material: Cast Aluminium



//////MONTICELLI)

Tonale 5009 Multi-Function Corner

04-048





Surface Finish: NA


Specification:

Application: Mitre Sash Assemby Material: Cast Aluminium

//////MONTICELLI

Cervino 2 Piano Corner Joint 1124

04-049






Surface Finish: NA

Specification:
Application:
Mitre Sash Assembly
Material:
Cast Aluminium

//////MONTICELLI

Fuji Cross Alignment Joint for T Junctions

04-050






Surface Finish: NA Specification:

Application: Square Cut Assembly Material: Cast Aluminium

//////MONTICELLI

Cervino 2 Piano Corner Joint 1121

04-054





Surface Finish: NA Specification:

Application: Mitre Sash Assembly Material: Cast Aluminium





<u> </u>	
/ / / / / / /	MONTICELLI

Corner Joint Screw 4 x14mm 5mm Dia

04-055



Surface Finish: NA

Specification: 4x4mm 5mm Dia.
Application: Mitre Sash Assemby
Material: Cast Aluminium

MONTICELI)

Corner Joint Socket Screw 4x8mm

04-056




Surface Finish: NA Specification: 4x8mm

Application: Mitre Sash Assembly Material: Stainless Steel

//////MONTICELLI

Cervino 2 Piano 1108

04-057





Surface Finish: NA Specification:

Application: Mitre Sash Assembly Material: Cast Aluminium

//////MONTICELLI





K1 Mechanical Mortise Digital Door Lock

07-WW-01

Entry options: Fingerprint, Keypad, Mechanical Key, Smart App.



Surface Finish: Black

Specification:

Application: Hinge Doors Material: Aluminium Alloy



A2 Fully Automatic Mortise Lock

07-WW-02

Entry options: Fingerprint, Keypad, IC Card,

Mechanical Key, Smart App.

Surface Finish: Black

Specification:

Application: Hinge Doors Material: Aluminium Alloy





Corner Joint Screw 4 x14mm 5mm Dia

07-WW-03

Entry options: Fingerprint, Keypad, IC Card, Mechanical Key, Smart App.

Surface Finish: Black Specification:


Application: Hinge Doors Material: Aluminium Alloy





Page: WW-01

OUR PARTNERS




















www.winwall.co.th


movement by design

WINWALL ALUMINIUM CO.,LTD





Dimensions



Key Features

- ♦ DC Power Supply
- Exceeds 10,000 cycles in durability testing
- * High-Strength Gear Design
- ♦ Built-in synchronous

♦ Compact Design ♦ Stainless Steel Side-Bending Chain



Technical Specifications

Model NO	Operating Voltage	Operating Current	Rated Power	Push/Pull force	Speed	Temperature	IP Class
AM26-DT400N	DC24V	0.7A	17W	400N	6mm/s	-20°C~+80°C	IP32

www.winwall.co.th

movement by design



WIDE SPAN PLEATED SCREEN

span up to 3.7m high x 9.2m wide

Application

- · Bi-fold Doors
- · Swing Doors
- · Sliding Doors

Features

- 25mm pleated mesh
- +/- 5mm building tolerance
- · Wide span capability
- Mesh retention clips
- 16mm high track
- · Easy clean floor guide
- · Quick to install
- · Smooth and easy to use
- · Supplied ready made



Overview

This modern stylish pleated screen is perfect for Bi-fold doors, Multi-panel sliding door, large sliding doors, outdoor rooms or on openings up to 3.7m high x 9.2m wide. The semitransparent mesh is designed to maximize ventilation without compromising the view.

Monarch Glide incorporates Seiki's wide screen technology, allowing the screen to span greater distance and yet maintain a high level of insect protection. The screen operates easily, allowing the user to gently slide the screen to any position along the opening due to the unique cord operating system.

The cords system, combined with our unique mesh retention clips, hold the mesh in position during windy conditions. When not in use, the mesh stores neatly to the side of the door opening.

Size Range

Single Slide Max: 3700mm high x 4600mm wide

Double Slide Max: 3700mm high x 9200mm wide

Standard Colours

Black ~ White ~ Sahara Woodgrain Powder Coat ~ Matt Natural Anodised

Ez - Zip MOTORISED SCREEN

span up to 1.7m high x 2.2m wide

Application

- · Bi-fold windows
- · Servery windows
- Awning ~ Casement windows
- Single & Double Hung windows

Features

- · Fiberglass Mesh
- · Zipper mesh retaining system
- · Remote control or Smart App operation
- · Long life USB charged battery
- · Removable mesh for easy cleaning
- · Strong resistance to wind
- · Fast simple installation
- · Smooth and easy to use
- · Supplied ready made



Overview

This flat mesh retractable screen is the perfect choice for locations with higher that usual winds.

The mesh is held securely in the guide rail by a concealed zipper ensuring it holds firm in windy conditions.

Ez-Zip's features concealed speed adjustment with a soft-closing damper that gently guides the screen back into the protective housing when not in use. The mesh cartridge can be easily removed for cleaning or replacement if required.

Ez-Zip's long-life battery is concealed inside the motor; the USB charger port is discreetly concealed inside the frame. Charging can last up to 6 months depending on frequency of use.

Ez-Zip is ideally suited for installation on awning/casement windows, bi-fold serveries, and gas-strut windows. The screen is designed to be face or recess mounted using screws, double-sided adhesive tape or magnetic tape.

Size Range

Single Slide Max: 3700mm high x 4600mm wide
Double Slide Max: 3700mm high x 9200mm wide

Standard Colours

Black ~ White ~ Sahara Woodgrain Powder Coat ~ Matt Natural Anodised

www.winwall.co.th

movement by design



WINWALL ALUMINIUM CO.,LTD

22/1 Mu 2, Thon Buri-Pak Tho Road, Bang Krachao Sub-district. Mueang Samut Sakhon District, Samut Sakhon Province 74000 Thailand. Tel: +66 34 181920, +66 96 751 3494, +66 96 751 3415, +66 96 861 4546





OASIS LOUVRE

Oasis Louvre windows create fresh, natural living spaces that are not only waterproof but also easy to operate, offering designers and homeowners a new level of design flexibility. Louvre windows bring fresh air indoors while seamlessly connecting interior and exterior spaces. Ideal for those who value natural ventilation, openness, and comfort, Oasis Louvre windows combine elegance with privacy. Our waterproof frame system, featuring built-in drainage for efficient water

management, ensures reliable performance in all weather conditions.

The louvres can be opened slightly to allow air circulation while keeping rain out, enhancing both comfort and functionality.

Oasis Louvre stands out as a modern, stylish window option that regulates airflow, enhancing comfort while reducing energy costs.

Designed with both aesthetics and durability in mind, the adjustable louvre is crafted from low-maintenance aluminum, stainless steel, and UV-stabilized materials, ensuring long-lasting performance with minimal upkeep.

The engineered plastic blade holder securely holds the glass in place, preventing it from falling or being removed by unwanted intruders, providing both safety and security for your home.







OASIS LOUVRE

The Oasis Difference

Oasis is a modern, functional Louvre window that delivers more free airflow into the home than alternative window choices. Designed as a total solution for both home and commercial applications, it provides design flexibility, performance, and security that will change the way designers and consumers view Louvre windows forever.

Oasis Framing

Our unique 101.6mm (6") frame design incorporates weather seals at the head and sill to restrict water and air from entering the building. A drainage chamber directs excess water outside the window. Oasis is also available with integrated insect and security screens.



Handle Options

Oasis is available with a standard lever action handle for quick, effortless use, or optionally with a low-profile design perfect for aluminum shutters, bi-fold doors, and entry doors. The handle, made from engineered UV-stabilized POM, is stylish, durable, and strong.

Oasis Automation

Oasis Louvres can be motorized, making them ideal for hard-to-reach areas or for homeowners looking to integrate window functions into their "Smart Home" systems. Our patented design features a powerful, yet silent motor, discreetly housed within the custom window frame, ensuring smooth and hassle-free control of the louvre.

Glazing Options

Oasis Louvres are available with 6mm glass or aluminum blades in your choice of 102mm (4") or 152mm (6") widths.

The aluminum blades come in a range of popular anodized, powder-coated, and woodgrain finishes.

Oasis Performance

300 pascals Water penetration pass
4000 pascals structural wind load
Cycle tested 26,000 operations
Salt spay tested for 1000 hours
20 year UV exposure







WINWALL ALUMINIUM CO.,LTD

22/1 Mu 2, Thon Buri-Pak Tho Road, Bang Krachao Sub-district.

Mueang Samut Sakhon District, Samut Sakhon Province 74000 Thailand.

Tel: +66 34 181920, +66 96 751 3494, +66 96 751 3415, +66 96 861 4546

MINWALL SMART DOOR LOCK


























BASIC SPECIFICATION

Material	Aluminium alloy		
Unlocking way	Fingerprint, Password, Mechanical key, APP		
Fingerprint module	Semi-conductor fingerprint module		
Fingerprint capacity	Tuya 20pcs / TTLOCK 100pcs		
Password capacity	Tuya 20pcs / TTLOCK 250pcs		
Power supply	4PCS * AAA Alkaline battery		
Emergency power supply	5V Type-c		
Low voltage alarm	<4.8V		
Working temperature	-25 °C ~70 °C		
Relative humidity	20~90%RH		
Mortise	Single latch		
Features	Anti-theft mortise, Voice prompts, Low battery alarm, Virtual password, System protection, Multi-level administrator settings		
Packing details	Quantity	8pcs	
	Size	44.5*37.5*21.5cm	
	G.W	8KGS/CTN	






















BASIC SPECIFICATION

Material	Aluminium alloy		
Unlocking way	Fingerprint, Password, IC card, Mechanical key, APP		
Fingerprint module	Semi-conductor fingerprint module		
Card type	Mifare MI		
Fingerprint capacity	Tuya 99pcs / TTLOCK 100pc		
Password capacity	Tuya 99pcs / TTLOCK 250pc		
IC card capacity	Tuya 99pcs / TTLOCK 1000pc		
Power supply	8PCS * AA Alkaline battery		
Emergency power	5V Type-c		
Low voltage alarm	<4.8V		
Working temperature	-25 °C ~70 °C		
Relative humidity	20~90%RH		
Mortise	T60XF/T70XF		
Features	Anti-theft mortise , Voice prompts , Low battery alarm , Virtual password , System protection, Multi-level administrator settings		
Packing details	Quantity	4pcs	
	Size	48.5*46.5*40.5cm	
	G.W	I8KGS/CTN	


















BASIC SPECIFICATION

Material	Aluminium alloy		
Unlocking way	Fingerprint, Password, IC card, Mechanical key, APP		
Fingerprint module	Semi-conductor fingerprint module		
Card type	Mifare MI		
Fingerprint capacity	Tuya 99pcs / TTLOCK 100pcs		
Password capacity	Tuya 99pcs / TTLOCK 250pcs		
IC card capacity	Tuya 99pcs / TTLOCK 1000pcs		
Power supply	4PCS * AAA Alkaline battery		
Emergency power	5V Type-c		
Low voltage alarm	<4.8V		
Vorking temperature	-25 °C ~70 °C		
Relative humidity	20~90%RH		
Mortise	2085/2585/3085/3585/4085/4585/5085/5585/6085		
Features	Anti-theft mortise, Voice prompts, Low battery alarm, Virtual password, System protection, Multi-level administrator settings		
Packing details	Quantity	9pcs	
	Size	62*45*41.5cm	
	G.W	20.6KGS/CTN	



movement by design

WINWALL ALUMINIUM CO.,LTD

22/1 Mu 2, Thon Buri-Pak Tho Road, Bang Krachao Sub-district.

Mueang Samut Sakhon District, Samut Sakhon Province 74000 Thailand.

Tel: +66 34 181920, +66 96 751 3494, +66 96 751 3415, +66 96 861 4546

